|						
S12	0	S9 and (recover$ and fail$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:06
S13	10	S5 and (transfer with (parallel or simultaneously))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:47
S14	1	S13 and (backup or archiv$) and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:08
S15	4122	logs with (parallel or simultaneously)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:08
S16	172	S15 and (transfer with (parallel or simultaneously))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:08
S17	51	S16 and (fail$ or corrupt$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 16:26
S18	28	S17 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:36
S19	9	S18 and (backup or archiv$) and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:17
S20	624	(backup or archiv$) and (transfer$ with (parallel or synchroniz$)) and detect$ and (fail$ or corrupt$) and log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:44
S21	308	S20 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:47

S22	30	S21 and (log with (backup or archiv$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:39
S23	30	S21 and (logs with (backup or archiv$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:38
S24	43	S21 and (logs same (backup or archiv$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:41
S25	4	S21 and (logs adj (backup or archiv$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:44
S26	4407	(simultaneourly or parallel) and ((fail$ or corrupt$) with (backup or archiv$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:46
S27	4424	(simultaneourly or parallel) and ((fail$ or corrupt$ or missing) with (backup or archiv$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:38
S28	272	(simultaneourly or parallel) and ((fail$ or corrupt$ or missingor detect$) adj files) and (backup or archiv$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:21
S29	158	S28 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:53
S30	21	S29 and (transfer with (parallel or simultaneously))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:48
S31	57	S29 and asynchronous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:48

S32	17	S31 and ((transfer$ or send$3 or deliver$ or transmit$) with (parallel or simultaneously))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:51
S33	157	(logs with (backup or archiv$)) and ((transfer$ or send$3 or deliver$ or transmit$) with (parallel or simultaneously))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:52
S34	13	S28 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:53
S35	11	S34 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:37
S36	45	S33 and recover$ and (corrupt$ or fail$) and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 14:23
S37	26	S36 and asynchronous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 14:23
S38	2	"6085298".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:35
S39	82936	(compar$ or determine or identif$) with (missing or corrupt$ or fail$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:16
S40	4272	S39 and (backup or archiv$) and recover$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:37
S41	2121	S40 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:18

S42	438	S27 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:38
S43	3	S23 and S42 and asynchronous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:39
S44	4	S23 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:39
S45	37	S20 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:44
S46	25	S45 and (fail$ with recover$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:45
S47	16	S45 and (fail$ adj recover$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 15:45
S48	2922	(compar$ or determine or identif$) with (missing or corrupt$ or fail$ or error or loss) with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:16
S49	22	(compar$ or determine or identif$) adj (missing or corrupt$ or fail$ or error or loss) adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:17
S50	9	S49 and (backup or archiv$ or recover$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 16:17
S51	7	S50 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 16:14

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	"5812398"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 16:14
L2	2	"5812398".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 16:15
L3	4126	logs with (parallel or simultaneously)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 16:26
L4	172	L3 and (transfer with (parallel or simultaneously))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 16:26
L5	5	L4 and (fail$ or corrupt$) and (707/200).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 16:27
L6	5	L4 and (fail$ or corrupt$) and (707/202).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 16:27
L7	8	L4 and (fail$ or corrupt$) and (707/203).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 16:27
L8	2	L4 and (fail$ or corrupt$) and (707/204).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 16:27
S1	0	"752607".apn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:33

S2	2	"6065018".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:35
S3	898	logs near transfer$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:36
S4	468	logs near (parallel or simultaneously)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:36
S5	225	logs adj (parallel or simultaneously)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:08
S6	410	logs adj (fail$ or corrupt$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:05
S7	4	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:38
S8	4	S7 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:08
S9	27	S5 and S3 and @ad<"20001206"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:04
S10	3	S9 and (fail$ or corrupt$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:08
S11	0	S9 and (recover$ and corrupt$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:05

Google

backup asynchronous parallel fail cron restore   Search   Advanced Search
Preferences

Web Results **1 - 10** of about **153** for **backup asynchronous parallel fail cron restore corrupt**. (**0.42** seconds)

Frequently Asked Questions
... to maximize spindle utilization (in **parallel**) and reduce ... Oracle can work with
asynchronous remote mirroring as long ... ONE tool to manage your **backup** and recovery ...
otn.oracle.com/deploy/availability/htdocs/9ifaq.html - 93k - Cached - Similar pages

[PDF] Oracle8 **Parallel Fail** Safe
File Format: PDF/Adobe Acrobat - View as HTML
... Oracle8i **Parallel Fail** Safe is Oracle's premier high availability solution. ... **Backup**
Performance Management User & Security Management Database Routine ...
otn.oracle.com/docs/deploy/availability/pdf/a86065.pdf - Supplemental Result - Similar pages

High Availability FAQ
... to maximize spindle utilization (in **parallel**) and reduce ... Oracle can work with
asynchronous remote mirroring as ... guarantee that the third-party **backup** tool will ...
www.oracle.com/technology/ deploy/availability/htdocs/hafaq.html - 101k - Nov 16, 2004 - Cached - Similar pages

#101945: SunOS 5.4: Kernel update
... of file at inode x" messages during **backup** 1206384 fscanf ... on non-existent fs 1170832
(gnu) make in **parallel** mode will ... (from 102020-01) 1151364 **asynchronous** I/O ...
sunsolve.sun.com/search/document. do?assetkey=urn:cds:docid:1-21-101945-64-1 - 96k -
Cached - Similar pages

What problems were fixed by the UnixWare 7.1.1 Maintenance Pack 2? ...
... driver to allow some third party **backup** software to ... Cannot print by using **parallel**
port to Epson LP ... If doing an **asynchronous** connect, calling getsockopt() to ...
wdb1.sco.com/kb/showta?taid=118502&sid= - 84k - Cached - Similar pages

iTechDocs Master Index
... TCP/IP Directed Boot Configuration Adding **Parallel** Printers at ... 8-port and 128-port
Asynchronous Adapter Configuration ... Error "tape not in **backup** format" Error ...
ibm.rjenk.com/ibmcd/hataht/ind.htm - 53k - Supplemental Result - Cached - Similar pages

[PS] CDF/DOC/COMP UPG/5413
File Format: Adobe PostScript - View as Text
... ffl set out of bound breaks are **asynchronous**, but takes room in TCP/IP ... ffl SLA specific:
parallel restore? ... Don't these need to be tuned with **backup** interval. ...
home.fnal.gov/~stdenis/doc/notes247_v101.ps - Similar pages

MACHINE SPECIFIC NOTES FOR INFORMIX DYNAMIC SERVER 7.31.FD4 ...
... 4. Kernel **Asynchronous** I/O (KAIO) is supported on ... floppy driver fix PHKL_21276 1.0
Superio **Parallel** driver fixes ... 21C Storage Dimensions: 8-mm Tape **Backup** 5 rev ...
www-306.ibm.com/software/data/informix/ pubs/library/notes/machnote/hp/mn_ids_731ud4-hp64.txt - 60k -
Cached - Similar pages

All patches
... vfs_mountroot 100028: Printers on 3-80 **parallel** port lock ... files 100550: OBSOLETED
by 100533 100551: **Backup**-Copilot 1.0 ... 2: static libc.a missing **asynchronous** I/O ...
thproxy.jinr.ru/file-archive/doc/sun/all-patches.html - 101k - Cached - Similar pages

Patch-ID# 101777-72 Keywords: Amdahl A+Edition kernel kadb libc ...
... Solaris 2.3, you can't **backup** your system ... 1150807 panic from using SPIF **parallel**
in program ... 1144685 CTEspiff tcdrain() returns **asynchronous**, shouldn't return ...
sunsite.bilkent.edu.tr/pub/ sun-info/sun-patches/101777.readme - 101k - Cached - Similar pages

Goooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9   **Next**

⟲ Free! Google Desktop Search: Search your own computer.

    backup asynchronous parallel fail cr⟨   ▌Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

Google™

backup asynchronous parallel fail rsync cron r{ |Search| Advanced Search
Preferences

Web Results **1 - 10** of about **24** for **backup asynchronous parallel fail rsync cron restore corrupt**. (0.75 sec

Service Manager's Guide to SMG-p Systems
... bos.rte.aio, **Asynchronous** I/O Extension. ... bos.sysmgt.sysbr, System **Backup** and BOS
Install Utilities. ... devices.common.IBM.ppa.diag, Common **Parallel** Printer Adapter ...
www-psg.cites.uiuc.edu/guide.html - 101k - Cached - Similar pages

[PDF] Linux Dictionary
File Format: PDF/Adobe Acrobat - View as HTML
Page 1. Linux Dictionary Version 0.11 Author: Binh Nguyen <linuxfilesystem(
at)yahoo(dot)com(dot)au> Editor: Sam Varghese <sam(at)gnubies ...
www.novaglobal.com.sg/ documentation/Linux-Dictionary.pdf - Similar pages

[PS] This is the title page of the Networking Manual. The Manual can be ...
File Format: Adobe PostScript - View as Text
... ML machine room hosts. The **asynchronous** ports on mlmr-a3-ts are connected
to two patch panels in rack R3. Thepatch panels are ML ...
www.scd.ucar.edu/nets/docs/netdoc/netdoc.ps - Similar pages

[PS] TrinityOS: A Guide to Cono/guring Your Linux Server for ...
File Format: Adobe PostScript - View as Text
... 248 25.8 Running Sendmail as a daemon or as a **cron** job ... 2) port serial / (1) **parallel** -
COM3 - IRQ ... SDD: Seagate ST39173N 9GB (20Mb/s) (ID: 3) - dd **backup** of SDA. ...
btp2xi.phy.uni-bayreuth.de/ archive/manuals/it/Software/TrinityOS.ps - Supplemental Result - Similar pages

[PS] MySQL Reference Manual
File Format: Adobe PostScript - View as Text
... 221 4.4.2 **BACKUP** TABLE Syntax . . . . . 222 4.4.3 **RESTORE** TABLE Syntax . . . .
www.cvc.mun.ca/software/mysql/doc/mysql.ps - Similar pages

[PS] Linux Dictionary Version 0.16 Author: Binh Nguyen
File Format: Adobe PostScript - View as Text
... options From Whatis-Extensionshttp://www.tldp.org/LDP/Linux-Dictionary/html/index.
html .BRZ DbBRZ file for very large Db **backup** or **restore** From Whatis ...
www.pantek.com/library/linux/LDP/ LDP/Linux-Dictionary/Linux-Dictionary.ps.gz - Similar pages

[PS] Linux Dictionary Version 0.12 Author: Binh Nguyen
File Format: Adobe PostScript - View as Text
... In video, a signal is **asynchronous** when its timing differs from that of the ... Deluser
can optionally remove and **backup** the user's home directory and mail spool ...
public.planetmirror.com/pub/ldp/ LDP/Linux-Dictionary/Linux-Dictionary.ps.gz - Supplemental Result -
Similar pages

[PS] Python Library Reference
File Format: Adobe PostScript - View as Text
... 340 11.22 asyncore -- **Asynchronous** socket handler ... applied to the items of all lists
in **parallel**; if a ... be initialized more than once, and may **fail** in arbitrary ...
www.ia-stud.hiof.no/~rolando/PL/Python/Doc/lib.ps - Supplemental Result - Similar pages

[PS] Python Library Reference

File Format: Adobe PostScript - <u>View as Text</u>
... 48611.24 asynchat -- **Asynchronous** socket command/response handler ... the items of all
lists in **parallel**; if a ... initializedmore than once, and may **fail** in arbitrary ...
www.cise.ufl.edu/help/software/doc/Python/lib.ps - <u>Similar pages</u>

[RTF] <u>rtf1\ansi\deff0 {\fonttbl{\f2\fnil\fcharset0 Courier New;} {\f1 ...</u>
File Format: Rich Text Format - <u>View as HTML</u>
... I ID_BACKUP_45_BASICS}{\fldrslt 12.9 **Backup** Basics}}\tqr\tldot ... I ID_PLIP}{\fldrslt
19.14 **Parallel** Line IP ... I ID_MIRRORS_45_RSYNC}{\fldrslt A.8 **rsync** sites}}\tqr ...
ftp.us.xemacs.org/ftp/pub/ freebsd/doc/handbook/book.rtf.gz - <u>Similar pages</u>

*In order to show you the most relevant results, we have omitted some entries very similar to
the 10 already displayed.*
If you like, you can <u>repeat the search with the omitted results included</u>.

Free! Get the Google Toolbar. <u>Download Now</u> - <u>About Toolbar</u>

| Google ▾ | [   ] ⌄ | 🔍 Search Web ▾ | 🔧 | PageRank 🔳 3 blocked | 📋 AutoFill | 📝 Options |

[backup asynchronous parallel fail rs|] [Search]

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2004 Google